

RACING CELLS

**PYROTECT**

RACING CELLS



VER. 026

# RACING CELLS

**PYROTECT**

RACING CELLS

02

**PYROTECT**

**FIA FT3 APPROVED  
MADE IN USA  
BEND, OREGON**



RACING CELLS

# Table of Contents

**PyroCell Universal Fuel Cells** .....Page 04-05

**Stock Car & Road Race Fuel Cells** .....Page 06-07

**Off Road Buggy & Truck Fuel Cells**.....Page 08-09

**Off Road UTV Fuel Cells** .....Page 10-11

**Formula Car and Dirt Track Fuel Cells** .....Page 12-13

**Vintage & Direct Fit Fuel Cells** .....Page 14-15

**Prototype & Open Wheel Fuel Cells**.....Page 16-17

**Super Mod & Sprint Fuel Cells** .....Page 18-19

**Accessories & Refueling Towers** .....Page 20-27

## Pyrotec: Safety, Quality, Comfort and Style Since 1972

Pyrotec offers a comprehensive line of high-quality FIA & SFI approved fuels cells, fuel bladders, and accessories for all types of racing. For over 45 years, we've upheld a pioneering tradition of providing the finest fuel cells, safety equipment, and service in the industry.

From the early days of auto racing from road racing, sprint car, formula car, off-road, and all other racing vehicles of today, we continually strive to stay at the forefront of the racing industry. Our 30,000 sq ft facilities in Central Oregon has expanded our capacity to better serve our loyal customers, both now and in the future.

Our experienced team is dedicated to upholding Pyrotec's legacy of excellence. We take pride in delivering the highest quality, fuel cells, safety gear, and customer service available. For exceptional support, please call 800-669-2355, fax 541-504-0342, email support@pyrotectracingcells.com, or visit our website at [www.pyroteccells.com](http://www.pyroteccells.com) 24/7.

**PYROTECT RACING CELLS**  
**975 SW FIRST STREET, REDMOND, OR 97756 (800) 669-2355**  
**WWW.PYROTECTCELLS.COM**



EST. 1972



**ProCell Universal Fuel Cells**  
see pages 04 - 05



**Stock Car & Road Race Cells**  
see pages 06 - 07



**Off Road Buggy & Truck**  
see pages 08 -09



**Off Road UTV Fuel Cells**  
see pages 10 -11



**Formula Car & Dirt Track**  
see pages 12 -13



**Vintage & Direct Fit Cells**  
see pages 14 -15



**Prototype & Open Wheel**  
see pages 16 -17



**Modified & Direct Fit Cell**  
see pages 18 - 19

**PYROTECT**

RACING CELLS



## PYROCELL ELITE UNIVERSAL Fuel Cells FIA-FT3 or FT3.5 Approved

The PyroCell ELITE from PYROTECT is our Top of the Line Fuel Cell. PyroCells are FIA Approved for use by most major racing sanctioning bodies.

### STANDARD EQUIPMENT

- Ultra Durable Double Coated Urethane Fabric Bladder
- Full Foam Baffling
- Single -6, -8 or -10 AN Pick-up & one -8 Vent Check Valve Fitting
- Internal Fuel Strainers
- 2 1/2" or 3 1/2" Threaded Cap on a Standard Modular Plate w/Billet Rollover Valve
- 20 Gauge Steel Container

### OPTIONAL EQUIPMENT

- .063 or .080 Aluminum Container
- Remote Fillers
- In Tank Pump
- 1 in, 1 1/2 in & 1 3/4 in Vent Check Valves
- Dual Pick Ups -6, -8 or -10 AN
- Collector System
- Holley Hydramat
- Sending Unit or Dip Stick
- Alcohol Bladder
- Available in 5 to 60 Gallon Sizes



For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)



# PYROCELL TOURING UNIVERSAL Fuel Cells FIA-FT3 or FT3.5 Approved

The PyroCell TOURING from PYROTECT is our Top of the Line Fuel Cell. PyroCells are FIA Approved for use by most major racing sanctioning bodies.

## STANDARD EQUIPMENT

- Ultra Durable Double Coated Urethane Fabric Bladder
- Full Foam Baffling
- Single -6, -8 or -10 AN Pick-up & one -8 Vent Check Valve Fitting
- Internal Fuel Strainers
- 2 1/2" or 3 1/2" Threaded Cap on a Standard Modular Plate w/Billet Rollover Valve
- 20 Gauge Steel Container

## OPTIONAL EQUIPMENT

- .063 or .080 Aluminum Container
- Remote Fillers
- In Tank Pump
- 1 in, 1 1/2 in, & 1 3/4 in Vent Check Valves
- Dual Pick Ups -6, -8 or -10 AN
- Collector System
- Holley Hydramat
- Sending Unit or Dip Stick
- Alcohol Bladder
- Available in 12 to 32 Gallon Sizes



For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)

**PYROTECT**

RACING CELLS



## PYROCELL STOCK CAR Fuel Cells FIA-FT3.5 Approved

The PyroCell Stock Car Fuel Cells from PYROTECT are designed for use in Xfinity, ARCA, K&N Pro Series, and the Whelen Modified Series.

### STANDARD EQUIPMENT

- 22 and 24 Gallon Capacity
- Ultra Durable Double Coated Urethane Ballistic Fabric Bladder
- Full Foam Baffling
- Fuel Types Compatibility Gasoline Race Fuels up to 20% Ethanol
- Single -8 or -10AN Pick-up & 1.5" Vent Check Valve
- 2.5 in. Angled Remote on a Standard Modular Plate w/Billet Rollover Valve
- 20 Gauge Steel Container

### OPTIONAL EQUIPMENT

- .063 or .080 Aluminum Container
- Remote Fillers
- In Tank Pump
- 1 in, 1 1/2 in & 1 3/4 in Vent Check Valves
- Dual Pick Ups -6, -8 or -10 AN
- Collector System with Check Valves
- Holley Hydramat
- Dip Stick



For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)



# PYROCELL ROAD RACE Standard & Custom Fuel Cells FIA-FT3/FT3.5 App.

The PyroCell Road Race Cells from PYROTECT is our Top of the Line Fuel Cell. PyroCells are FIA Approved for use by most major racing sanctioning bodies.

## STANDARD EQUIPMENT

- Ultra Durable Double Coated Urethane Fabric Bladder
- Full Foam Baffling
- Single -8 or -10 AN Pick-up & one -8 Vent Check Valve Fitting
- Internal Fuel Strainers
- 3 1/2 in. Threaded Cap on a Standard Modular Plate w/Billet Rollover Valve
- 20 Gauge Steel or .063 Aluminum Container

## OPTIONAL EQUIPMENT

- .080 or .090 Aluminum Container
- Remote Fillers
- In Tank Pump
- 1 in, 1 1/2 in, & 1 3/4 in Vent Check Valves
- Dual Pick Ups -6, -8 or -10 AN
- Collector System with Check Valves
- Holley Hydramat
- Sending Unit or Dip Stick
- Alcohol Bladder



For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)

**PYROTECT**

RACING CELLS



## PYROCELL OFF ROAD Fuel Cells

### FIA-FT3 or FT3.5 Approved

The PyroCell Off Road Standard Fuel Cells from PYROTECT are designed extra tuff for use in Score, Best in The Desert, and all other off road race Series. Approved by FIA FT3 or FT3.5 for most major racing sanctioning bodies.

#### STANDARD EQUIPMENT

- Standard designs for Trucks and Buggies
- Ultra Durable Triple Coated Urethane Ballistic Fabric Bladder
- Full Foam Baffling
- Compatible with Race Fuels w/up to 20% Ethanol
- 1" Check Valve
- Single -6, -8, or -10 AN Pick-up
- 3" Remote with Rollover protection
- .063 Aluminum Container

#### OPTIONAL EQUIPMENT

- .080, .090, .125 Aluminum Container
- Remote Fillers 2.25", 2.5" or Billet Filler Cap
- In Tank Pumps
- 1.5 in. or 1.75 in. Vent Check Valves
- Dual Pick Ups -6, -8 or -10 AN
- Collector System with Check Valves
- Holley Hydramat
- Dip Stick
- Sending Unit
- Low Level Sensor



For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)



# PYROCELL OFF ROAD Custom Fuel Cells FIA-FT3 or FT3.5 Approved

The PyroCell Off Road Custom Fuel Cells from PYROTECT are custom built to your design for use in Score, Best in The Desert, and all other off road race Series. Approved by FIA FT3 or FT3.5 for most major racing sanctioning bodies.

## STANDARD EQUIPMENT

- Custom Manufactured to your design
- Ultra Durable Triple Coated Urethane Ballistic Fabric Bladder
- Full Foam Baffling
- Compatible with Race Fuels w/up to 20% Ethanol
- Single -6, -8, or -10 AN Pick-up
- 1" Vent Check Valve
- 3" Remote or 3.5" Filler Cap w/Rollover Protection
- .063 Aluminum Container

## OPTIONAL EQUIPMENT

- .080, .090, .125 Aluminum Container
- Remote Fillers
- In Tank Pumps
- 1.5 in, or 1.75 in. Vent Check Valves
- Dual Pick Ups -6, -8 or -10 AN
- Collector System with Check Valves
- Holley Hydramat
- Dip Stick
- Sending Unit
- Low Level Sensor



For Additional Details, Part Numbers, & Pricing go to [PyrotectCells.com](http://PyrotectCells.com)



## PYROCELL UTV Standard and Custom Fuel Cells FIA-FT3 or FT3.5 Approved

Pyrotec PyroCell UTV OFF ROAD Fuel Cells you can either pick one of our standard designs or we can custom-build to your design. Approved for use in Score, Best in The Desert, and all other Off Road Race Series. Approved by FIA FT3 or FT3.5 for most major racing sanctioning bodies.

### STANDARD EQUIPMENT

- Ultra Durable Double Coated Urethane Ballistic Fabric Bladder
- Full Foam Baffling
- Compatible with Race Fuels w/up to 20% Ethanol
- Single -6, -8, or -10 AN Pick-up
- 1 in. Vent Check Valve
- 3.5" Standard Cap or Remote Filler w/ Rollover Valve
- .063 Aluminum Container

### OPTIONAL EQUIPMENT

- .080 Aluminum Container
- Remote Fillers
- In Tank Pumps, Single or Dual Pumps
- 1.5 in. or 1.75 in Vent Check Valves
- Collector System with Check Valves
- Holley Hydramat
- Dip Stick
- Sending Unit
- Low Level Sensor



**CAN AM X3 34 GALLON FUEL CELL**



**POLARIS PRO-R 34 GALLON FUEL CELL**

For Additional Details, Part Numbers, & Pricing go to [PyrotecCells.com](http://PyrotecCells.com)

# PYROCELL UTV Fuel Cells



**CAN AM MAV-R 36 GALLON FUEL CELL**



**CAN AM MAV-R 20 GALLON FUEL CELL**



**CAN AM MAV-R 16 GALLON DIRECT REPLACEMENT FUEL CELL**



**CAN AM X3 32 GALLON SPARE TIRE FUEL CELL**



**POLARIS RS-1 13 GALLON FUEL CELL**



**CUSTOM UTV FUEL CELL**

For Additional Details, Part Numbers, & Pricing go to [PyrotectCells.com](http://PyrotectCells.com)



## PYROCELL FORMULA CAR Standard & Custom Fuel Cells FIA-FT3 Approved

The PyroCell Formula Car Standard and Custom Fuel Cell from PYROTECT offers one of our standard designs or a custom cell built to your exact specs. Approved by FIA for most major racing sanctioning bodies.

### STANDARD EQUIPMENT

- Standard Design or Custom Manufactured to your exact specifications
- Ultra Durable Double Coated Urethane Ballistic Fabric Bladder
- Full Foam Baffling
- Fuel Type Compatibility: Gasoline, Race Gas up to 20% Ethanol
- Single -6 AN Pickup
- -6 AN Vent Check Valve Fitting
- Standard Filler Cap Plate

### OPTIONAL EQUIPMENT

- .063 Aluminum Container
- Remote Fillers
- In Tank Pumps
- Dual Pick Ups
- Collector System with Check Valves
- Holley Hydramat
- Dip Stick
- Sending Unit
- Low Level Sensor



For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)



# PYROCELL DIRT TRACK Standard & Custom Fuel Cells FIA-FT3 or FT3.5 App.

The PyroCell DIRT TRACK Standard & Custom Fuel Cells from PYROTECT. You can select from our Standard designs or Custom built to your design. Approved and manufactured to FIA FT3 or FT3.5 for most major racing sanctioning bodies.

## STANDARD EQUIPMENT

- Standard Design or Custom Manufactured to your exact specifications
- Ultra Durable Double Coated Urethane Ballistic Fabric Bladder
- Full Foam Baffling
- Fuel Types Compatibility; Gasoline, Race Gas up to 20% Ethanol
- Single -8 or -10 AN Pick-up
- -8AN Vent Check Valve Fitting
- 3.5" Standard Filler Cap Plate w/Billet Rollover Valve
- .063 Aluminum Container

## OPTIONAL EQUIPMENT

- .080 Aluminum Container
- Remote Fillers
- Collector system with Check Valves
- Holley Hydramat
- Dip Stick
- Sending Unit
- Low Level Sensor





## PYROCELL VINTAGE CAR Standard & Custom Fuel Cells - FIA-FT3 Approved

The PyroCell VINTAGE Car Standard and Custom Fuel Cells from PYROTECT you can pick from one of our standard designs or custom built to your design. For use in SCCA, and all other Road Race Associations. Approved and manufactured to FIA-FT3 for most major racing sanctioning bodies.

### STANDARD EQUIPMENT

- Standard Design or Custom Manufactured to your exact specifications
- Ultra Durable Double Coated Urethane Ballistic Fabric Bladder
- Full Foam Baffling
- Fuel Type Compatibility Gasoline Race Fuels up to 20% Ethanol
- Single -6 AN Pickup
- -6 AN Vent Check Valve Fitting
- Standard Filler Cap Plate w/ Rollover Valve
- .063 Aluminum Container

### OPTIONAL EQUIPMENT

- .080 Aluminum Container
- Remote Fillers
- In Tank Pumps
- Dual Pick Ups
- Collector with Check Valves
- Holley Hydramat
- Dip Stick
- Sending Unit
- Low Level Sensor



For Additional Details, Part Numbers, & Pricing go to [PyroTECTCells.com](http://PyroTECTCells.com)



# PYROCELL DIRECT FIT Fuel Cells

## FIA-FT3 or FT3.5 Approved

The PyroCell Direct Fit Standard and Custom Fuel Cells from PYROTECT you can pick from one of our standard designs or custom built to your design. For use in SCCA & all other Road Race Associations. Approved and manufactured to FIA-FT3 for most major racing sanctioning bodies.

### STANDARD EQUIPMENT

- Standard design or custom manufactured to your exact specifications
- Ultra durable double coated urethane ballistic fabric bladder
- Full foam baffling
- Fuel type compatibility gasoline race fuels up to 20% ethanol
- Single -6 AN pickup
- -6 AN Vent Check Valve Fitting
- Standard filler cap plate w/ rollover valve
- .063 aluminum container

### OPTIONAL EQUIPMENT

- .080 Aluminum Container
- Remote Fillers
- In Tank Pumps
- Dual Pick Ups
- Collector System with Check Valves
- Holley Hydramat
- Dip Stick
- Sending Unit
- Low Level Sensor



For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)



## PYROCELL PROTOTYPE Custom Fuel Cells FIA-FT3 or FT3.5 Approved

The PyroCell Prototype Custom Fuel Cells from PYROTECT are custom built to your design for use Approved by FIA FT3 or FT3.5 for most major racing sanctioning bodies.

### STANDARD EQUIPMENT

- Custom Manufactured to your design
- Ultra Durable Double Coated Urethane Ballistic Fabric Bladder
- Full Foam Baffling
- Fuel Types Compatibility Gasoline Race Fuels up to 20% Ethanol
- Single -6, -8, or -10 AN Pick-up
- -8 AN Vent Check Valve
- 3.5" Standard Filler Cap Plate w/Billet Rollover Valve
- .063 Aluminum Container

### OPTIONAL EQUIPMENT

- .080, .090, .125 Aluminum Container
- Remote Fillers
- In Tank Pumps
- 1 in, 1.5 in, or 1.75 in. Vent Check Valves
- Dual Pick Ups -6, -8 or -10 AN
- Collector system with Check Valves
- Holley Hydramat
- Dip Stick
- Sending Unit
- Low Level Sensor



For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)



## ULTRACELL OPEN WHEEL Fuel Cells Exceed FIA FT3.5 & SFI 28.4 Standards

The UltraCell Open Wheel Custom Ethanol/Methanol Fuel Cells from PYROTECT. Custom built to your design. Approved and manufactured to SFI 28.4 and exceeds FIA FT3.5 Standards.

### STANDARD EQUIPMENT

- Custom Manufactured to your design
- Ultra Durable Calendered Ballistic Fabric Bladder
- Full Foam Baffling (Gasoline Only)
- Fuel Types Compatibility: Methanol, Ethanol, & E85
- Single -6,-8, or 10 AN Pick-up
- -8 AN Vent Check Valve

### OPTIONAL EQUIPMENT

- Custom Nut Rings
- Custom Fuel Pump Flanges
- Collectors
- Baffles
- In Tank Fuel Pumps
- Low Level Sensors



For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)



# ULTRACELL SUPER MODIFIED Custom Alcohol Fuel Cells SFI 28.4 Approved

The UltraCell Super Modified Custom Ethanol/ Methanol Fuel Cells from PYROTECT are custom built to your design. Approved and manufactured to SFI 28.4.

### STANDARD EQUIPMENT

- Custom Manufactured to your design
- Ultra Durable Calendered Ballistic Nylon or Light Weight Kevlar Bladder
- Fuel Types Compatibility: Methanol, Ethanol, and E85
- Single -10 or -12 AN Pick-up
- -6 or -8 AN Vent Check Valve Fitting
- Flush Cap, 2.5" or 3.5" Standard Filler Cap

### OPTIONAL EQUIPMENT

- .063 or .080 Aluminum Container
- Remote Fillers
- Collector designs with Check Valves
- Dip Stick



For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)

**PYROTECT**

RACING CELLS



## **SALDANA SPRINT CAR Bladders** SFI 28.4 Approved

Pyrotec manufactures Champ Car, Sprint Car, Midget, and Micro Sprint fuel bladders exclusively for Saldana Racing Products.

Call Saldana today to order yours!

(317) 852-4193

Website: [saldanaracingproducts.com](http://saldanaracingproducts.com)

Email: [info@saldanaracingproducts.com](mailto:info@saldanaracingproducts.com)



For Additional Details, Part Numbers, & Pricing go to [PyrotecCells.com](http://PyrotecCells.com)

**PYROTECT**

RACING CELLS

# Fuel Cell Accessories



20

**FIA FT3 APPROVED**  
**MADE IN USA**

# Fuel Cell Accessories



**6x10 Pump Plate w/ Variable Fill**  
Fill Option w/ Mounting for Pump w/ 4" B.C.



**360° Swivel Fill Neck**  
Available in 2.25", 2.5" & 3" 45 Degree Swivel Filler (plate not included)



**6x10 w/Dual 10 bolt 4" B.C.**  
Pump Mount w/ Dual 10 Bolt 4" B.C.



**Multi Location 6x10 Plate**  
Fill Option w/ Pickup, Return & Vent



**Multi Location 6x10 Plate**  
Offset Fill Option w/ Pickup, Vent & Sending Unit



**Multi Location 6x10 Plate**  
Fill Option w/ Pickup & 1.75" vent



**Multi Location 6x10 Plate**  
Dual Fill Option w/ Pickup & Vent



**Multi Location 6x10 Plate.**  
Dual Fill Option w/ Pickup & 1" Vent



**4x6 Straight Remote**  
2.25", 2.5" or 3" Straight Fill w/ 1" Vent



**4x6 45° Remote**  
2.25", 2.5" or 3" 45° Fill w/ 1" Vent



**4x6 3.5" Cap**  
2.5" or 3.5" Fill Cap w/ Vent



**4x6 Flush Cap**  
Flush Cap w/ Vent

For Additional Details, Part Numbers, & Pricing go to [PyrotectCells.com](http://PyrotectCells.com)

# Fuel Cell Accessories



**Blank Aluminum Plates**

Plate Sizes Range From 4 Bolt to 32 Bolt Patterns



**10 Bolt Fill Cap**

2.5" or 3.5" Fill Cap on 4.5" 10 Bolt Plate



**Dual Walbro Fuel Cell Pump Kit**

Dual Walbro 392 Pump Kit



**Remote Fill Kits**

2.5" or 3.5" Fill Cap w/ Mounting Accessories




**Threaded Filler Necks & Caps**

2.5" or 3.5" Weld On Neck & Fill Cap



**Wire Harnesses**

2 Wire & 4 Wire Harnesses



**Gaskets Cork**



**Walbro Fuel Pump**

Intank Hi & Low Pressure Walbro Fuel Pumps




**Bosch Fuel Pump**

Intank Hi & Low Pressure Bosch Fuel Pumps

For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)

# Fuel Cell Accessories



**6X10 Plate w/Fill**  
Fill Option w/ Pickup & Vent



**6X10 Plate w/Dual Fill**  
Dual Fill Option w/ Pickup & Vent



**6X10 Plate w/All Options**  
Offset Fill Option w/ Pickup, Return, Vent, Wire Harness & Sending Unit



**Straight Remote Fill Plates**  
Available in 2.25", 2.5" & 3" Straight Remote Fill on 10 Bolt 4.5" B.C.



**45° Remote Fillers**  
Available in 2.25", 2.5" & 3" 45 Degree Remote Fill on 10 Bolt 4.5" B.C.



**Vent Check Valves**  
Large Variety of Vent Check Valves Available.



**Wagon Wheel Fill Valves**  
Bolt On & Weld On Available



**Billet Flapper Valve**  
Bolt On Billet Aluminum Flapper Valve



**Nut Rings with Flapper Valve**  
Billet Nut Rings with Integrated flapper valve

For Additional Details, Part Numbers, & Pricing go to [PyrotectCells.com](http://PyrotectCells.com)

# Fuel Cell Accessories



**Fuel Cell Collector**

Multiple Configurations and Sizes Available w/ Ball Checks or Trap Doors



**Fuel Cell Collector**

Multiple Configurations and Sizes Available w/ Ball Checks or Trap Doors & Hi Pressure Pump Mount



**Fuel Cell Collector**

Multiple Configurations and Sizes Available w/ Ball Checks or Trap Doors & Hi Pressure Pump Mount



**Billet Flapper Valve**

To be used w/ Aluminum or Bonded Collectors



**Collector Ball Check Valve**

To be used w/ Aluminum or Bonded Collectors



**1" Plunger Check Valve**

To be used w/ Aluminum or Bonded Collectors

24



**Fuel Level Sending Units & Gauges**

Available in Common & Custom Lengths. In a Variety of Ohms



**Custom Fuel Level Sending Units**

Custom Lengths & Bendable Units Available



**Fuel Level Dipstick**

-8AN Fuel Level Dipstick in a Variety of Lengths

For Additional Details, Part Numbers, & Pricing go to [PyrotectCells.com](http://PyrotectCells.com)

# Fuel Cell Accessories



**Shorty Discriminator Valves**  
AN, 1" & 1.5" Available



**Discriminator Vent w/ Clamp**  
AN, 1" & 1.5" Available (Clamp Sold Separately)



**Aluminum Nut Rings**  
Nut Ring Sizes Range From 4 Bolt to 32 Bolt Patterns



**Discriminator Valve**  
AN, 1" & 1.5" Available



**Clear Filler Hose**  
2.25", 2.5" & 3" Available



**Fragola AN Adapters**  
Variety of Fragola AN Adapter & Fittings Available



**Inline Vent Rollover Valve**  
-8AN & -10AN Available



**AN Fittings**  
Variety of AN Fittings for Pickup & Return



**Vent Check Valve Kit**  
Check Valve Kit -4AN, -6AN & -8AN Included

For Additional Details, Part Numbers, & Pricing go to [PyrotectCells.com](http://PyrotectCells.com)

# Fuel Cell Accessories



**RedHead Dry Break Tank Mount Receiver** 2.25" Probe, 9 Bolt



**RedHead Dry Break Remote Receiver** For 2.25" Probe



**RedHead 2.25" Probe** Used In Conjunction w/ RedHead Receiver



**RedHead Dual Dry Break Probe** 4.5" or 100mm Available. Used in Conjunction w/ RedHead Receiver




**RedHead Dual Dry Break Remote Receiver** Available in 4.5" or 100mm



**RedHead Dual Dry Break Tank Mount Receiver** Available in 4.5" or 100mm




**RedHead Seal Kits** Variety of Probe & Receiver Seal Kits Available



**11" x 11" Square Holley Hydramat** Center Pickup w/ 1/2" NPT Female Fitting



**8" x 3" Rectangle Holley Hydramat** Center Pickup w/ 3/8" NPT Female Fitting



**15" x 15" Cross Holley Hydramat** Center Pickup w/ 3/8" NPT Female Fitting



**8" x 8" Cross Holley Hydramat** Center Pickup w/ 3/8" NPT Female Fitting



**15" x 8" Cross Holley Hydramat** Center Pickup w/ 3/8" NPT Female Fitting

For Additional Details, Part Numbers, & Pricing go to [PyroprotectCells.com](http://PyroprotectCells.com)

# Pyrotec Refueling Towers



## The PyroCell Refueling Tower

Designed for fast, efficient and safe fueling. Available 35 to 100 Gallons Sizes



## PYROTECT'S REFUELING TOWER'S ARE PERFECT FOR QUICK SAFE REFUELING FOR ALL TYPES OF RACING!

The PyroCell Refueling Towers from Pyrotec is our Top of the Line Refueling Tower. The PyroCell Tower was designed for use in any racing application where fast, efficient and safe refueling is necessary. It is the ultimate addition to any race team. Many race teams use the PYROTECT Refueling Tower for quick and safe pit stops where every second counts!

### STANDARD EQUIPMENT

- Ultra Durable PyroCell Style Bladder
- Aluminum Scissor Tower
- Sun Cover for Bladder
- Top Plate with 2.5" Fill Cap
- Bottom Plate with NPT 2" & 3/4 Bungs
- 2" Fueling Spring Loaded Deadman Valve
- 3/4" Fill & Drain Spring Loaded Deadman Valve
- Air Bleeder Pressurize Equalizing Valve
- Dust Cover for all Fittings
- 2" Refueling Hose-Length 15'
- 3/4 Fuel Transfer fill and drain Hose- 10'

### ACCESSORIES

- Double Dry Break Fueling Kit
- 1.5" Refueling Kit
- 1" Refueling Gas Nozzle Kit
- Dry Breaks valves single or Dual
- Dry Break Holder Single or Dual
- Additional Refueling & Drain Hose



**Deadman Valve** w/Spring Return Handle



**Dual Dry Break Holder** with Mount

For Additional Details, Part Numbers, & Pricing go to [PyrotecCells.com](http://PyrotecCells.com)

**PYROTECT**

RACING CELLS



**PYROTECT RACING CELLS**

975 SW FIRST STREET, REDMOND, OR 97756 (800) 669-2355

[WWW.PYROTECTCELLS.COM](http://WWW.PYROTECTCELLS.COM)